

**ANNEXURE – V**  
**CLINICAL MATERIAL IN HOSPITAL**

**Maharashtra University of Health Sciences, Nashik Inspection  
Committee Report for Academic Year 2025-2026**


**Clinical Material in Hospital**


Name of College/Institute :- GENESIS COLLEGE OF NURSING, RADHANAGARI Faculty:- NURSING

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) <b>To be made available on web site</b>	Parent Hospital	<b>Adequate</b>
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: <b>Copy to be made available on web site</b>	<b>YES</b>	<b>Adequate</b>
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual .....	<b>YES</b>	<b>Adequate</b>
c.	Average Bed Occupancy in % : 85 (Minimum 75%) .....	<b>YES</b>	<b>Adequate</b>
d.	Clinical facilities for PG to be verified:-(As per MSR)	<b>NA</b>	<b>NA</b>
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)		<b>Adequate</b>
<ul style="list-style-type: none"> <li>• As per Central Council Norms/ University Norms, above Infrastructure must be available at College.</li> <li>• If Infrastructure is available, then mark "Adequate" &amp; do not attach any Documents it should be available on college website</li> <li>• In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report</li> </ul>			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief  
Any Other, Please Specify:-

Date:- 08/02/2025



  
**PRINCIPAL**  
 Dean/Principal Stamp & Signature  
 Genesis College of Nursing  
 Radhanagari

Chairman of LIC

Member Of LIC

Member Of LIC



# FIRE ESCAPE PLAN

# FIRST FLOOR

### Safety Notice

- In case of fire, press the Alarm button
- Proceed towards the assembly area
- DO NOT STOP to collect personal belongings
- DO NOT re-enter the building until told it is safe to do so.

	Emergency Exit
	Assembly Area
	Fire Extinguisher
	You Are Here
	Staircase



*[Signature]*  
**PRINCIPAL**  
 Genesis College of Nursing  
 Radhanagar

*[Signature]*  
 President,  
 Ramkrishna Charitable Trust  
 At-Ghotawade, Tal. Radhanagar,  
 Dist. Kolhapur

**TRUE COPY**

*[Signature]*  
**Librarian**

*[Signature]*  
**Dr. Anil Kanbarkar**  
 M.B.B.S. G.O.  
 RAMKRISHNA MULTISPECIALITY HOSPITAL TYP's, Kamala College, Kolhapur  
 Bhogawati - Ghotawade Road, Pin 416 211, **Krantiveer Rangraodada Patil**  
 BHOGAWATI, Dist. Kolhapur. **Library**

*[Signature]*  
**अध्यक्ष**  
 वक्रांतुंड एज्युकेशन सोसायटी  
 राधानगरी, कोल्हापूर  
 Ramkrishna Charitable Trust  
**HOSPITAL**

# FIRE ESCAPE PLAN

Lower Ground Floor


## Safety Notice

- In case of fire, press the Alarm button
- Proceed towards the assembly area
- DO NOT STOP to collect personal belongings
- DO NOT re-enter the building until told it is safe to do so.


	Emergency Exit
	Assembly Area
	Fire Extinguisher
	You Are Here
	Staircase

### OVERVIEW PLAN

LOWER GROUND FLOOR



Dr. A. R. Kanbarkar  
M.B.B.S., D.G.O. R. No. 34012  
RAMKRISHNA MULTISPECIALTY HOSPITAL  
Bhogawati - Ghotawade Road, Pin 416 211,  
BHOGEWATI Dist Kolhapur.



PRINCIPAL

Genesis College of Nursing  
Radhanagar

TRUE COPY

Librarian

TVP's, Kamala College, Kolhapur  
Krantiveer-Rangroodada East

Library

वक्रतुंड एज्युकेशन सोसायटी  
Ramkrishna Charitable Trust  
राधानगरी, कोल्हापूर




# FIRE ESCAPE PLAN

# UPPER GROUND FLOOR

### Safety Notice

- In case of fire, press the Alarm button
- Proceed towards the assembly area
- DO NOT STOP to collect personal belongings
- DO NOT re-enter the building until told it is safe to do so.

	Emergency Exit
	Assembly Area
	Fire Extinguisher
	You Are Here
	Staircase



J/C  
**PRINCIPAL**  
 Genesis College of Nursing  
 Radhanagari

**TRUE COPY**  
*[Signature]*  
**Librarian**

अध्यक्ष  
 वक्रतुंड एज्युकेशन सोसायटी  
 राधानगरी, कोल्हापूर  
 HOSPITAL

Dr. A. R. Kanbarkar  
 M.B.B.S., D.G.O. R. No. 34012  
**RAMKRISHNA MULTISPECIALITY HOSPITAL**  
 Bhogawati - Chytawade Road, Pin 416 211,  
 BHOGAWATI Dist. Kolhapur.

TVPs, Kamala College, Kolhapur  
 Krantiveer Rangroodada Patil



VAKRATUND EDUCATION SOCIETY'S  
**Genesis College of Nursing, Radhanagari**  
Near Galbi Titta, Radhanagari Road,  
Opposite to Mahadik Petrol Pump,  
Tal. Radhanagari Dist. Kolhapur , 416212

**Completion certificate for  
Hospital Building by the  
Competent Authority**

संस्थापना : सन १९५५

॥ निर्गल ज्ञान ॥  
॥ धर्मविरण संतुष्टीत समृद्धी ज्ञान ॥

## ग्रामपंचायत घोटवडे

ता. राधानगरी, जि. कोल्हापूर.

१. असाधारण व असाधारण विषय समजावून घ्यावे  
२. असाधारण विषय समजावून घ्यावे  
३. असाधारण विषय समजावून घ्यावे  
४. असाधारण विषय समजावून घ्यावे  
५. असाधारण विषय समजावून घ्यावे

जाचक क्र. ९६ / २०२३

दिनांक : ०६ / १२ / २०२३



### बांधकाम परवाना

ग्रामपंचायत, मौजे घोटवडे ता. राधानगरी जि. कोल्हापूर येथील मिळकत नं. ३९२ येथे डॉ. अभिवेक अरुण कणबरकर यांचेकडून रामकृष्ण हॉस्पिटल या इमारतीच्या बांधकामास परवाना मिळणेबाबत ग्रामपंचायत, मौजे घोटवडे ता. राधानगरी जि. कोल्हापूर यांचेकडे केलेल्या मागणी अर्जानुसार सदरच्या क्षेत्रामध्ये खालील अटी व शर्ती यांना अधिन राहून बांधकाम परवाना देणेत येत आहे.

अटी व शर्ती :

१. सदर इमारतीचा वापर बांधकाम नकाशावर दर्शवलेल्याप्रमाणे करणेचा आहे.
  २. सदर इमारतीमध्ये नियमाप्रमाणे अग्निशमन यंत्रणा, भूकंपरोधक यंत्रणा व इतर पूरक, सोयीसुविधा विषयक साधनांची पूर्तता करणे अनुज्ञेय राहिल.
  ३. सदर इमारतीसाठी आवश्यक क्षमतेचा कायमस्वरूपी विज पुरवठा, पाणी पुरवठा, जलनिस्सारण, सांडपाणी, कचराविल्हेवाट व्यवस्था इ. बाबीची पूर्तता स्वःखर्चाने, स्वःजबाबदारीने करणे अनुज्ञेय राहिल.
  ४. सदर शैक्षणिक इमारतीमध्ये अपंग व वयस्कर नागरिकांच्यासाठी चढण उतरण व्यवस्था, पुरक शौचालय इ. पूरक सोयी सुविधांची पूर्तता करणे अनुज्ञेय राहिल.
- वरील क्र. १ ते ४ शर्तीस पात्र राहून आपणास सदरचा बांधकाम परवाना देणेत येत आहे.

  
ग्रामसेवक  
ग्रामपंचायत घोटवडे, ता. राधानगरी.

  
सरपंच  
राधानगरी, कोल्हापूर.

  
अध्यक्ष

वक्रतुंड एज्युकेशन सोसायटी  
राधानगरी, कोल्हापूर



  
PRINCIPAL  
Genesis College of Nursing  
Radhanagari



VAKRATUND EDUCATION SOCIETY'S  
**Genesis College of Nursing, Radhanagari**  
Near Galbi Titta, Radhanagari Road,  
Opposite to Mahadik Petrol Pump,  
Tal. Radhanagari Dist. Kolhapur , 416212

# **Registration of Hospital under Bombay Nursing Home Act, 1949**



महाराष्ट्र शासन आरोग्य सेवा  
आरोग्य विभाग, जिल्हा परिषद कोल्हापूर

सन १९४९ च्या दि गॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले नोंदणी प्रमाणपत्र  
महाराष्ट्र शुश्रुषागृह नोंदणी नियम १९७३  
महाराष्ट्र शुश्रुषागृह नोंदणी (सुधारित) नियम २०२१

**प्रमाणपत्र**

डॉ. श्री/श्रीमती डॉ. अभिषेक अरुण कुणवरकर

यांचे रामकृष्ण मल्टीस्पेशालिटी हॉस्पिटल

म. पो. झोटवडे ता. राधानगरी जि. कोल्हापूर

नवीन नोंदणी/नुतणीकरण करणेसाठी शुश्रुषागृह / प्रसुतीगृह (Nursing Home / Maternity Home)  
ची नोंदणी केली असून सदरचे शुश्रुषागृह / प्रसुतीगृह चालविण्यास परवाना देण्यात येत आहे.

नोंदणी क्रमांक : 69  
(Registration Number)

प्रसुतीसाठी खाटा : 10

नोंदणी दिनांक : 01/02/2007  
(Registration Date)

इतर रुग्णासाठी खाटा : 90

ठिकाण : कोल्हापूर

नोंदणी/ नुतणीकरण केल्याचे दिनांक : 8/11/2023  
(Registration / Renewal Date)

  
अध्यक्ष  
वक्रतुंड एज्युकेशन सोसायटी  
राधानगरी, कोल्हापूर

सदरच्या प्रमाणपत्राची मुदत दिनांक : 31 / 03 / 2026 पर्यंत राहिले



  
PRINCIPAL  
Genesis College of Nursing  
Raधानगरी

  
जिल्हा आरोग्य अधिकारी  
जिल्हा परिषद, कोल्हापूर



VAKRATUND EDUCATION SOCIETY's  
**Genesis College of Nursing, Radhanagari**  
Near Gaibi Titta, Radhanagari Road,  
Opposite to Mahadik Petrol Pump,  
Tal. Radhanagari Dist. Kolhapur , 416212

# **MPCB Certificates for hospital & documents related to bio medical waste disposale**

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0231-2652952  
0231-2660448  
Fax: 0231-2652952  
Website: <http://mpcb.gov.in>  
Email: [rokolhapur@mpcb.gov.in](mailto:rokolhapur@mpcb.gov.in)



Maharashtra Pollution  
Control Board, Udyog  
Bhavan Building, Near  
Collectorate Office,  
Kolhapur - 416 002

Date: 14/08/2024

ORANGE/S.S.I  
No:- Format1.0/RO/UAN No.0000206571/CO/2408001428

To,  
RAMKRISHNA MULTISPECIALITY HOSPITAL  
Bhogawati, Ghotawade Road, Near Bhogawati Sugar  
Factory Ghotawade, Ghotawade, Kolhapur  
-416211  
Email: [ramkrishna.claims@gmail.com](mailto:ramkrishna.claims@gmail.com)  
Contact No.: 9527008626



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization dated 19/04/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedule(I-IV) and Annexure (I-II) enclosed in this order.

1. This CCA shall be in force for a period From 01-12-2021 To 30-11-2029
2. The capital investment of the HCF is 3258.72 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 1300.60 M<sup>2</sup> with Built-up area 650.30 M<sup>2</sup>.
4. Activities Included
  - I. General Beds : 38 Nos
  - II. ICU/ICU Beds : 15 Nos
  - III. Operation Theatre : 5 Nos
  - IV. Maternity Beds : 5 Nos
  - V. Other Beds : 37 Nos

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 4 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

RAMKRISHNA MULTISPECIALITY HOSPITAL/CO/UAN No.MPCB-CONSENT-0000206571/Indus-Id.194454  
(14-08-2024 01:30:33 pm) /QMS.PO6\_F02/00

अध्यक्ष

Page 1 of 10

वक्रतुंड एज्युकेशन सोसायटी  
राधानगरी, कोल्हापूर



3/10/24  
PRINCIPAL  
Genesis College of Nursing  
Radhanagari

6. Conditions under the Air (PACP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the Annexure-II.
2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No.	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. Cytotoxic Drugs/ Waste: You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. Mercury Waste: You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.

14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.



  
PRINCIPAL  
Genesis College of Nursing  
Radhanagari

  
अध्यक्ष  
वक्रतुंड एज्युकेशन सोसायटी  
राधानगरी, कोल्हापूर

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



*Jah*

506a9bd5  
0dbb4bdc  
4f0f2610  
58ebb822  
2f206410  
fb8e3caa  
dbc1dd0e  
32168933

Signed by: J. S. Salunkhe  
Regional Officer  
For and on behalf of  
Maharashtra Pollution Control Board  
tokolhapur@mpcb.gov.in  
2024-08-14 11:30:47 IST

Received Consent/Authorization fee of -

Sr.No.	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	20000.00	TXN2404003453	19/04/2024	Online Payment
2	11918.00	TXN2405004171	22/05/2024	Online Payment
3	35000.00	TXN2405004172	22/05/2024	Online Payment

*J.S.*

अध्यक्ष  
वक्रतुंड एज्युकेशन सोसायटी  
राधानगरी, कोल्हापूर



*J.S.*  
PRINCIPAL  
Genesis College of Nursing  
Radhanagari

## Conditions under Water (P &amp; CP), 1974 Act: (Refer Condition No. 5)

## A. Water Consumption Details:-

Sr. No.	Purpose for water consumption	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	4.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/l except for pH	
1	pH		6.5-9.0
2	Oil & Grease		10
3	BOD (3 days 27°C)		30
4	COD		250
5	Total Suspended Solids		100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

अध्यक्ष

वक्रतुंड एज्युकेशन सोसायटी  
राधानगरी, कोल्हापूर



PRINCIPAL  
Genesis College of Nursing  
Radhanagari

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

अध्यक्ष

वक्रतुंड एज्युकेशन सोसायटी  
राधानगरी, कोल्हापूर



PRINCIPAL  
Genesis College of Nursing  
Radhanagari

**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sl. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	150.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	200.00		
		d) Expired or Discarded Medicines	11.00		
		e) Chemical Waste	1.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	3.00		
		h) Microbiology Biotechnology and other clinical laboratory waste	11.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	210.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
3	White (Translucent)	Waste sharps including Metals	30.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	Blue	a) Glassware	10.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Metallic body Implants	33.00		

अध्यक्ष

यफतुंड एज्युकेशन सोसायटी  
राधानगरी, कोल्हापूर

KOMKRISHNA MULTISPECIALITY HOSPITAL/CO/UAN No. MPCB-CONSENT-00002085717/nd01-12-194454  
(14-08-2024 01:30:33 pm) /QMS.PO6\_F02/00



PRINCIPAL  
Genesis College of Nursing  
Radhanagari

**SCHEDULE-II**

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility S. S. Services, Kolhapur Municipal Corporation, Kolhapur and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

अध्यक्ष

KAMKRISHNA MULTISPECIALITY HOSPITAL/CO/UAN No. MPCB-CONSENT-0000206571/Inquire 14-08-2024 01:30:33 pm /QMS.PO6\_F02/00

वक्रतुंड एज्युकेशन सोसायटी of 10  
राधानगरी, कोल्हापूर



  
PRINCIPAL  
Genesis College of Nursing  
Radhanagari

**SCHEDULE-III****Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	10,000.00
<b>Total</b>			<b>1,00,000.00</b>

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.



अध्यक्ष  
वक्रतुंड एज्युकेशन सोसायटी  
राधानगरी, कोल्हापूर



  
PRINCIPAL  
Genesis College of Nursing  
Radhanagari

## SCHEDULE-IV

### General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.

RAMKRISHNA MULTISPECIALITY HOSPITAL/CO/UAN No.MPCB-CONSENT-0000206571/Indus-IId, 19/11/2023  
(14-08-2024 01:30:33 pm) /QMS.PO6\_F02/00

वक्रतुंड एज्युकेशन सोसायटी  
राधानगरी, कोल्हापूर



Principal  
PRINCIPAL  
Genesis College of Nursing  
Radhanagari

15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An Inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

  
अध्यक्ष  
वक्रतुंड एज्युकेशन सोसायटी  
राधानगरी, कोल्हापूर



  
PRINCIPAL  
Genesis College of Nursing  
Radhanagari

GOVT. OF MAHARASHTRA



Public Health Department

(PRE-CONCEPTION AND PRE - NATAL DIAGNOSTIC TECHNIQUES  
(PROHIBITION OF SEX SELECTION ) ACT, 2003  
SCHEDULE III  
CERTIFICATE OF REGISTRATION

1. In exercise of powers conferred under Sec.19 (1) of Pre-natal Diagnostic Techniques (Regulation and Prevention of Misuse) Act, 1994. (57 of 1994), the Appropriate Authority Civil surgeon Kolhapur here by grants registration to the Genetic Counselling Center V Genetic Laboratory\*/ Genetic Clinic\* named below purposes of carrying out Genetic Counseling Pre-natal Diagnostic Procedures\*/Pre-natal Diagnostic Tests as defined in the aforesaid Act for a Period of five years ending on 9.12.2026
2. This registration is granted subject to the aforesaid Act and Rules there under and any contraction thereof shall result in suspension or cancellation of this Certificate of Registration before the expiry of said period of five years

A. Name and address of the Genetic Counselling Center\*/ Genetic Laboratory\*/ Genetic Clinic\*  
Ramkrishna Hospital, Bhogawati - Ghokwade Road  
Bhogawati - Tal - Kaver, Kolhapur.

B. Name of Applicant for registration Dr. A. A. Kumbhakar

C. Pre-natal diagnostic procedures approved for (Generic Clinic).  
(i) Ultrasound (ii) Amniocentesis  
(iii) Chorionic villi biopsy (iv) Foetoscopy  
(v) Foetal skin or organ biopsy (vi) Cordocentesis  
(vii) Any other (specify)

Dr. Mahipati Badage  
Mon. to Sunday  
8.45 am to 10.45 am.

D. Pre-natal diagnostic tests approved (for Genetic Laboratory)  
(i) Chromosomal Studies (ii) Biochemical studies  
(ii) Molecular studies

Dr. Devraj A. Toraskar  
Mon. to Sunday  
PM 5:15 to 7:15

3. Model and make of equipments being used mindray  
model DC-60 s/n NO 8C-92002581
4. Registration No. allotted 4.
5. Period of validity of Registration Five years From 10/12/2021 To 9/12/2026


Date: 24/12/21 SEAL



Signature, name and designation  
of the Appropriate Authority

Dr. A. A. Kumbhakar  
अध्यक्ष

यक्रतुंड एज्युकेशन सोसायटी  
राधानगरी, कोल्हापूर




Dr. S. L. Kumbhakar  
PRINCIPAL  
Genesis College of Nursing  
Radhanagari




**VAKRATUND EDUCATION SOCIETY'S**  
**Genesis College of Nursing, Radhanagari**  
Near Gaibi Titta, Radhanagari Road,  
Opposite to Mahadik Petrol Pump,  
Tal. Radhanagari Dist. Kolhapur , 416212

## **Blood Bank License / MoU**



महाराष्ट्र MAHARASHTRA 2023 GTAA 659566

व्यक्ति का नाम: श्री. प. शंकर  
पता: श्री. कर्णेलयारी  
RAMKRISHNA MULTISPECIALITY HOSPITAL  
At: Ghotawade, Bhudargad - Ghotawade Road  
Tal. Radhanagari, Dist. Kolhapur - 416 211  
मुद्रांक शुल्क रकम: 900/-  
मुद्रांक दिनांक: 11 DEC 2023  
मुद्रांक विवरण: ११/१२/२३



मुद्रांक विक्रेता  
श्री. प. शंकर महादेव डोंगळे  
मु. वि. डि. शाहूनगर (परिते) ता. करवीर  
कोड नं. २६०१०५५

**MOU**

This memorandum of understanding made at 11 Dec 2023 between Ramkrishna Multispeciality Hospital, Ghotawade, Tal, Radhangari, Dist. Kolhapur. the private hospital, register under Bombay Nursing Act in Zila Parishad with registration number 69, is one part and Shri Sadguru Balumama Multispeciality Blood Storage Center owned and run by registered private Blood Bank Storage Center having its Storage Center at Admapur Tal. Bhudargad, Dist. Kolhapur on other part.



PRINCIPAL  
Genesis College of Nursing  
Radhanagari

अध्यक्ष  
चक्रतुंड एज्युकेशन सोसायटी  
राधानगरी, कोल्हापूर

Whereas Ramkrishna Multispeciality Hospital and Shri Sadguru Balumama Multispeciality Blood Storage Center mutually agree to provide services to their patients who required Blood Products for Treatment.

Both parts are entered into the agreements under the said regulations on the undertaking that the respective parts shall be paying the eligible expenses for the investigations given by part one.

The other part Shri Sadguru Balumama Multispeciality Blood Storage Center has accepted the offer made by Ramkrishna Multispeciality Hospital on the terms and conditions hereinafter appearing. Now this agreement witnessed and it is hereby agreed by and between the parties.

This agreement valid up to 10 Dec 2026.



  
अध्यक्ष

वक्रतुंड एज्युकेशन सोसायटी  
राधानगरी, कोल्हापूर



  
PRINCIPAL  
Genesis College of Nursing  
Radhanagari